

WATER PROTECTION BUREAU

| -   |     |     |     |    |
|-----|-----|-----|-----|----|
| - 0 | COD | COL | 40  | 50 |
| 100 |     | · y | .54 | -  |
| _   | _   | _   | -   | _  |

Permit No.:

Date Rec'd

Amount Rec'd

Check No.

Rec'd By

FORM NMP

# Nutrient Management Plan

READ THIS BEFORE COMPLETING FORM: Before completing this form (Form NMP), Concentrated Animal Feeding Operation (CAFO) operators need to read the General Permit, particularly Part IV.A. CAFO operators also need to read the "Instructions For Filling Out Form NMP," found at the back of the Form. Form NMP is intended to help CAFO operators develop a site-specific Nutrient Management Plan, in compliance with Part IV.A of the General Permit and all applicable State rules and statutes. Your Nutrient Management Plan must be maintained at the site as required in Part III of the General Permit. Sections B and C on your Form NMP must state the information exactly the same way as it was stated on the most recently submitted version of your Form 2B. Attach additional pages as necessary, indicating the corresponding section number on this NMP form. For additional help in filling out this form please read the attached instructions. The 2008 General Permit, current fee schedule, and related forms are available from the Water Protection Bureau at (406) 444-3080 or <a href="https://www.deq.mt.gov/wqinfo/MPDES/CAFO.asp">https://www.deq.mt.gov/wqinfo/MPDES/CAFO.asp</a>

## Section A - NMP Status (Check one):

New

No prior NMP submitted for this site.

■ Modification

Change or update to existing NMP.

Permit Number: MT G010112 (Specify the permit number that was previously assigned to your facility.)

## Section B - Facility or Site Information:

Site Name Central Montana Livestock Auction, Inc.

Site Location SW 1/4 NE 1/4 Section 10 T 15N R18E

Nearest City or Town Lewistown

County Fergus

## Section C - Applicant (Owner/Operator) Information:

Owner or Operator Name Lyle and Janice Allen

Mailing Address P.O. Box 1190

City, State, and Zip Code Lewistown, MT 59457

Phone Number (406) 366-2303 or 2454 Cell #'s

RECEIVED

FEB 0 5 2003

Version 1.2

NMP

DEQWP8
PERMITTING & COLORLATION DEV

Page 1 of 14

| 1. Livestock Statistics  Animal Type and number of animals  | # of Days on Site (per year)                                 | Annual Munure                       |
|---|--|-------------------------------------|
|   |  | Production (tons<br>cu. yds.or gal) |
| Cattle (weekly sales-typical) 1100  | 5 +/-  | 150 tons                            |
| <sup>2</sup> - Sheep " " 2000   | 4  | 1 ton                               |
| 3. Horses (5-10 work abd 90 sales   | 5 to all year  | 10 tons                             |
| 4.  |  |                                     |
| 5.  |  |                                     |
| 6.  |  |                                     |
| 7.  |  |                                     |
| 8.  |  |                                     |
| Method used for estimating annual manure production   | on:  |                                     |
| Standards literature  |  |                                     |
| Describe manure handling at the facility:   | eather permitting in winter months                           | 3)                                  |
| 2. Manure Handling Describe manure handling at the facility: move to stockpile by loader twice monthly, (w Stockpile removed and processed by contract  |  |                                     |
| Describe manure handling at the facility:<br>move to stockpile by loader twice monthly, (w  |  |                                     |
| Describe manure handling at the facility:<br>move to stockpile by loader twice monthly, (w<br>Stockpile removed and processed by contract   | twice per year or more often as co                           |                                     |
| Describe manure handling at the facility: move to stockpile by loader twice monthly, (we Stockpile removed and processed by contract dictates.  | twice per year or more often as or                           |                                     |
| Describe manure handling at the facility: move to stockpile by loader twice monthly, (w Stockpile removed and processed by contract dictates.  Frequency of Manure Removal from confinement ar  | twice per year or more often as contractor schedule dictates | ontractor schedule                  |
| Describe manure handling at the facility: move to stockpile by loader twice monthly, (we Stockpile removed and processed by contract dictates.  Frequency of Manure Removal from confinement ar Twice per year by contract, or more often as co | twice per year or more often as contractor schedule dictates | ontractor schedule                  |

NMF

Fage 2 of 14

| Waster Control Company to the A   |               |            |            |                              |
|---|---------------|------------|------------|------------------------------|
| Waste Control Structure (name/type)   | Length (ft)   | Width (ft) | Depth (ft) | Volume (cubic ft or gallons) |
| Collection System   |               |            |            |                              |
| 2. Detention Pond   | 250           | 100        | 3          | 450,000 gallons              |
| 3. Filter Strip   |               |            |            |                              |
| 4.  |               |            |            |                              |
| 5.  |               |            |            |                              |
| 6.  |               |            |            |                              |
| 7.  |               |            |            |                              |
| 8.  |               |            |            |                              |
| 9.  |               |            |            |                              |
| 10.   |               |            |            |                              |
| H.  |               |            |            |                              |
| 12.   |               |            |            |                              |
|   |               |            |            |                              |
|   |               |            |            |                              |
|   |               |            |            |                              |
|   | om production | arca:      |            |                              |
| 5. Clean Water Diversion Practices<br>Describe how clean water is diverted fro<br>Ditch/swale system unchanged fr |               |            |            |                              |
| Describe how clean water is diverted fro  |               |            |            |                              |
| Describe how clean water is diverted fro  |               |            |            |                              |
| Describe how clean water is diverted fro  |               |            |            |                              |
| Describe how clean water is diverted fro  |               |            |            |                              |
| Describe how clean water is diverted fro  |               |            |            |                              |
| Describe how clean water is diverted fro  |               |            |            |                              |

NMP

Page 3 of 14

| 6. Prohibiting Animals and Wastes from Contact with State Waters   |
|--|
| Describe how animals and wastes are prohibited from direct contact with state waters:  |
|  |
| Corrals do not intercept, runoff detention and grass filter strip  |
|  |
|  |
|  |
|  |
|  |
|  |
| Describe how chemicals and other contaminants are handled on-site:   |
| Secure storage   |
| Limited application mostly for fly control   |
|  |
|  |
|  |
|  |
|  |
|  |
| 8. Best Management Practice (BMPS)   |
| Describe in detail all temporary, permanent and structural Best Management Practices (BMPs) which will be used to control runoff of pollutants from facility's production area. Indicate the location of these measures. |
| Include a schedule for implementation of each of these measures. Examples of BMP measures could include but  |
| are not limited to: constructing ditches, terraces, and waterways above an open lot to divert clean water run on;  |
| installing gutters, downspouts and buried conduits to divert roof drainage; providing more roofed area;  |
| decreasing open lot surface area; repairing or adjusting water systems to minimize water wastage; using practical amounts of water for cooling purposes; recycling water if practical and applicable.                    |
| Diversion of runoff, repair of waterers, operation per guidelines in sensible manner   |
| Enterior of factor, repair of vacciors, operation per galdelines in sensible manner  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
|  |

NMP

Page 4 of 14

| used to control runoff of pollutants from<br>practices. If not already in use, include a<br>details and specifications may be used to<br>include but are not limited to: maintainin<br>irrigation practices to prevent ponding of | facility's land ap<br>a schedule for imp<br>supplement this on<br>ag setbacks from s<br>I wastewater on la<br>rtment prior to ap | Best Management Practices (BMPs) which will be plication area. Indicate the location of these description. Examples of BMP measures. Attached description. Examples of BMP measures could surface waters for manure applications; managing and application sites; never spray irrigating wastes onto plying any liquid waste to frozen or snow-covered.  Rotational grazing  yes/no |
|---|--|---|
| Conservation or reduced tillage   | √ yes/no   | Manure injection or incorporation yes/no ✓  |
| Terraces or other water control structure   |  | Contour plantings yes/no ✓  |
| Riparian buffers or vegetative filter strip   |  | Winter "scavenger" or cover crops ✓ yes/no  |
| Other examples  |  |   |
| 9. Implementation, Operation, Mainte  |  |   |
| The permittee is required to develop guid<br>maintenance of the facility, and record k  |  | implementation of NMP, proper operation and   |
| Has a guidance document been develope<br>Certify the document addresses the follo   | -  |   |
| Implementation of the NMP:  Facility operation and maintenance:   | Yes No   |   |
| Sample collection and analysis: 🗸   | Yes No   |   |
| Manure transfer:   ✓  | Yes No   |   |
| Provide name, date and location of most   |  |   |
| Same as submital for 2004 permit  | , records  | maintained at the auction house   |
|   | *  |   |
|   |  |   |
| guidance is provid  |  |   |
|   |  |   |
|   |  |   |
|   |  |   |
|   |  |   |

NMP

Page 5 of 14

Section E - Land Application

Will manure be land applied to land either owned, rented, or leased by the owner or operator of the facility?

No If no, then provide an explanation of how animal waste at this site are managed.

Yes If yes, then the information requested in Section E must be provided.

No

Photos and/or Maps

Attach an aerial photograph or map of the site where manure is to be applied. (Use multiple photos/maps if necessary to show required details.) The photo(s)/map(s) must be printed on no larger than an 11"x17" piece of paper, and must clearly identify the following items:

· Individual field boundaries for all planned land application areas

- · A name, number, letter or other means of identifying each individual land application field
- The location of any down-gradient surface waters
- The location of any down-gradient open tile line intake structures
- · The location of any down-gradient sinkholes
- The location of any down-gradient agricultural well heads
- · The location of all conduits to surface waters
- The specific manure/waste handling or nutrient management restrictions associated with each land application field.
- The soil type(s) present and their locations within the individual land application field(s)
- · The location of buffers and setbacks around state surface waters, well heads, etc.

Land Application Equipment Calibration

Describe the type of equipment used to land apply wastes and the calibrating procedures;

N/A

Manure Sampling and Analysis Procedures

A representative manure sample will be analyzed a minimum of once annually for Total Nitrogen, and Total Phosphorus. Analysis results will be reported in lbs/ton or lbs/1,000 gal. Results of these analyses will be used in determining application rates for manure, litter, and process wastewater.

Manure Sample collection will occur according to the following method:

The recommended method(s) found in Section 5 of Department Circular DEQ 9

Other (describe) N/A

Soil Sampling and Analysis Procedures

A representative soil sample from the top 6 inch layer of soil in each field will be analyzed for phosphorus content at least once every five years. Analyses will be conducted by a qualified laboratory, using the Olsen P test. Results will be reported in parts per million (ppm) and will be used in determining application rates for manure, litter, and process wastewater.

Soil sample collection will occur according to the following method:

The recommended method(s) found in Section 5 of Department Circular DEQ 9

Other (describe) N/A

Version I 3

NMP

Page 6 of 14

| field Name and spreadable acres for each (for fields w               | rith identical crops and soils type): |
|--|---------------------------------------|
| Contractor manufactures soil admentments for                         | landscaping - does not go to fields   |
|  |                                       |
| Crop 1 (year 1 or ?) plant species                                   |                                       |
| Irrigated (Y/N)  |                                       |
| Yield Goal (ton/ac or bushel/ac)                                     |                                       |
| N Content of soil as nitrate (lbs/acre or ppm)                       |                                       |
| Content of soil as P2Os (lbs/acre or ppm)                            |                                       |
| Time of Year When Application will Occur (month)                     |                                       |
| Application frequency (per year by month)                            |                                       |
| Form of manure (liquid/solid)  |                                       |
| Method of Application  |                                       |
| Is manure incorporated or broadcast?                                 |                                       |
| Frequency of Application (yearly, biannual, etc.?)                   |                                       |
| Crop 2   |                                       |
| Irrigated (Y/N)  |                                       |
| Yield Goal (ton/ac or bushel/ac)                                     |                                       |
| N Content of soil as Nitrate (lbs/acre or ppm)                       |                                       |
| P Content of soil as P <sub>2</sub> O <sub>5</sub> (lbs/acre or ppm) |                                       |
| Time of Year When Application will Occur (month)                     |                                       |
| Application frequency (per year, by month)                           | 1                                     |
| Form of manure (liquid/solid)  |                                       |
| Method of Application  |                                       |
| s manure broadcast, injected or incorporated?                        |                                       |
| Frequency of Application (Annual, Biannual, etc?)                    |                                       |

NMP

Page 7 of 14

#### Phosphorus Risk Assessment

The permittee shall assess the risk of phosphorus contamination of state waters. An assessment shall be conducted for each field, under the control of the operator, to which manure, litter or process wastewater will or may be applied. If a new field is added in the future, then the permittee must submit a revised (modified) NMP. The permittee has the option of using either Method A or Method B (below) to complete the assessment. Copies of all tables and calculations used to complete the assessments, as well as the results of the assessments, shall be submitted to the Department and copies shall be maintained on-site at the facility and available for Departmental review. The results of the assessments shall be used to determine the appropriate basis for land application of wastes from the facility.

#### Method Used

Indicate which method will be used to determine phosphorus application:

Method A - Representative Soil Sample

Method B - Phosphorus Index

### Method A - Representative Soil Sample

a) Obtain one or more representative soil sample(s) from the field.

b) Have the sample analyzed for Phosphorus by a qualified lab. The "Olsen P test" must be used for the analysis, and the result must be reported in parts per million (ppm).

c) Using the results of the Olsen P test, determine the application basis according to the Table below

| Test                           |  |  |
|--------------------------------|--|--|
| Olsen P Soil Test Result (ppm) | Application Basis                        |  |
| <25.0                          | Nitrogen Needs Of Crop                   |  |
| 25.1 - 100.0                   | Phosphorus Needs Of Crop                 |  |
| 100.0 - 150.0                  | Phosphorus Needs up to Crop Removal Rate |  |
| >150.0                         | No Application                           |  |

#### Method B - Phosphorus Index

- a) Complete a Phosphorus Index according to for each crop grown on each field. Complete table in Appendix A to calculate phosphorus index. For information on filling out specific sections Appendix A, please refer to Attachment 2 of Department Circular DEQ 9.
- b) Using the calculated Total Phosphorus Index Value, assign the overall site/field vulnerability to phosphorus loss according to the table below.

| Total Phosphorus Index Value | Site Vulnerability to Phosphorus Loss |
|------------------------------|---------------------------------------|
| <11                          | Low                                   |
| 11-21                        | Medium                                |
| 22-43                        | High                                  |
| >43                          | Very High                             |

 Using the calculated Site Vulnerability to Phosphorus Loss, determine the appropriate application basis according to the table below.

| Site Vulnerability to Phosphorus Loss                   |   |  |
|---|---|--|
| Site Vulnerability to Phosphorus Loss Application Basis |   |  |
| Low   | Nitrogen Neods                            |  |
| Medium  | Nitrogen Needs                            |  |
| High  | Phosphorus Need Up to Crop Removal        |  |
| Very High   | Phosphorus Crop Removal or No Application |  |

Version 13

NMP

Page 5 of 14

d) The permittee will complete the Nutrient Budget Worksheet, below, for each crop grown on each field to which manure or process waste water is or may be applied during the first year of application. A copy of each Nutrient Budget Worksheet will be maintained on site, and a copy will be submitted to the Department.

| Site/Fiel       |   | Afterna de la              | Diameter Land                   |  |
|-----------------|---|----------------------------|---------------------------------|--|
| Nutrient Budget |   | Nitrogen-based Application | Phosphorus-based<br>Application |  |
|                 | Crop Nutrient Needs, lbs/acre included in<br>Department Circular DEQ 9  |                            |                                 |  |
| (-)             | Credits from previous legume crops,<br>lbs/acre (from DEQ-9), as applicable   |                            |                                 |  |
| (-)             | Residuals from past manure production,<br>lbs/acre (lbs/acre applied in previous<br>year(s) x fractions listed in DEQ-9)      |                            |                                 |  |
| (-)             | Nutrients supplied by commercial fertilizer and Biosolids, lbs/acre   |                            |                                 |  |
| (-)             | Nutrients supplied in irrigation water,  lbs/acre  = Additional Nutrients Needed, lbs/acre                                    |                            |                                 |  |
|                 | Total Nitrogen and Phosphorus in manure,<br>Ibs/ton or Ibs/1,000 gal (from manure test)                                       |                            |                                 |  |
| (x)             | Nutrient Avalability factor (for Nitrogen<br>based application see DEQ-9, below; for<br>Phosphorus based application use 1.0) |                            |                                 |  |
|                 | = Available Nutrients in Manure,<br>lbs/ton or lbs/1,000 gal  |                            |                                 |  |
|                 | Additional Nutrients needed, lbs/acrc<br>(calculated above)   |                            |                                 |  |
| (/)             | Available Nutrients in Manure, lbs/ton or lbs/1,000 gal (calculated above)  |                            |                                 |  |
|                 | = Manure Application Rate, tons/acre<br>or 1,000 gal/acre   |                            |                                 |  |
| Commer          | nts:  |                            |                                 |  |
| -               |   |                            |                                 |  |
|                 |   |                            |                                 |  |
|                 |   |                            |                                 |  |
|                 |   |                            |                                 |  |
|                 |   |                            |                                 |  |
|                 |   |                            |                                 |  |

Vanion 1.3

NMP

## Section F - CERTIFICATION

#### Permittee Information:

This Form NMP must be completed, signed, and certified as follows:

- · For a corporation, by a principal officer of at least the level of vice president;
- · For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
- For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

# All Permittees Must Complete the Following Certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information; including the possibility of fine and imprisonment for knowing violations. [75-5-633, MCA]

| 12270     | 2.0  | Sec. |       |        |
|-----------|------|------|-------|--------|
| $\Lambda$ | Name | CLV  | pc or | Print) |

Lyle Allen

B. Title (Type or Print)

Owner

C. Phone No.

538-3471

E. Date Signed

D. Signature

Return the Form NMP, Nutrient Management Plan to:

Department of Environmental Quality
Water Protection Bureau
PO Box 200901
Helena, MT 59620-0901
(406) 444-3080

RECEIVED

FEB 0 5 2003

DEGMPB PERMITTING & COMPLIANCE DIV

Version 1.3

NM2

Page 10 of 14